ATTACK TO Paper No. 4

Sheet 1 of 3

FORM PTO-1449 (Modified)

U.S. Department of Commerce Patent and Trademark Office

Attorney Docket No.: STONYB-04970

Applicant: Patrick Hearing et al.

Serial No.: 09/782,378

INFORMATION OF THE STATEMENT BY APPLICANT (Use Several Sheets If Necessary)

(37 CFR § 1.9	8(b))			; ,,,,,,,	Filing Date:		Group Art Uni	t: <i>163</i>	6_	
		•		U.S. PATENT DOC	UMENTS			177		
Examiner Initials	Cite No.	Serial / Patent Number	Issue Date	Applica	nt / Patentee	Class	Subclass	Filing	Date	
AP2	1	6,040,174	3/21/00	Iml	ler et al.				•	
	2	5,872,005	2/16/99	Wa	ng <i>et al</i> .					
	3	5,837,484	11/17/98	Т	rempe	-	$\square \bigvee$			
	4	5,589,377	12/31/96	Lebko	owski <i>et al</i> .	X				
	5	5,789,390	8/4/98	Desca	imps et al.	+/-				
	6	5,691,176	11/25/97	Lebko	owski <i>et al</i> .	-1/-				
	7	4,683,195	7/28/87	Mul	llis et al.	/	1			
	8	4,683,202	7/28/87	N	Mullis	\mathcal{A}				
\checkmark	9	5,877,011	3/2/99	Armer	ntano <i>et al</i> .	V \				
142	. 10	5,891,690	4/6/99 ·	N	Massie	\				
		FC	DREIGN PATENTS C	OR PUBLISHED FOR	EIGN PATENT APP	LICATIONS				
		Document Number	Publication Date	Country /	Patent Office	Class	Subclass	Trans Yes	lation No	
AAZ	11	WO 91/18088	11/28/91		PCT		\ /			
)	12	WO 90/09441	8/23/90		PCT					
	13	WO 88/10311	12/29/88		PCT					
	14	WO 91/11525	8/8/91		PCT		X			
	15	WO 99/53085	10/21/99		PCT					
ARZ	16	EP 185 573	5/20/92	E	Еигоре		(
		OTHER	DOCUMENTS (Inclu	iding Author, Title, Da	ate, Relevant Pages, F	Place of Publication)				
AAJ	17	Benihoud et al. (19	99) "Adenovirus vect	tors for gene delivery,	" Curr. Opin. Biotech	nol. 10:440-7				
1	18	Brenner (1999) "Ge	ene Transfer by Aden	ovectors," Blood 94:39	965-7					
	19	Kochanek (1999) "High-Capacity Adenoviral Vectors for Gene Transfer and Somatic Gene Therapy," Hum. Gene. Ther. 10:2451-9								
	20	Wold (1999) "Immune responses to adenoviruses: viral evasion mechanisms and their implications for the clinic," Human Press, Totowa, N								
	21	Tringthy at al. (1996) "Immune responses to transgene-encoded proteins limit the stability of gene expression after injection of replication						cation-		
	22							ouse		
	23	Thrasher et al. (199 the NADPH-oxidas	1995) "Generation of recombinant adeno-associated virus (rAAV) from an adenoviral vector and functional reconstitution o dase," Gene Ther. 2:481-485							
	24		"A Novel Adenoviru Gene Ther. 7:2079-20	s-Adeno-Associated V 987	/irus Hybrid Vector T	hat Displays Efficien	t Rescue and De	livery of th	e AAV	
₩	25	Lieber et al. (1999	"Integrating Adenov	irus-Adeno-Associated	Virus Vectors Devo	id of All Viral Genes	," J. Virol. 73:93	14-9324	:	
AAZ	26	Liu et al. (1999) "I adenovirus," Gene		inant adeno-associated	T		and a hybrid reco	mbinant		
Examiner:		Solds	hell &		Date Considered:	10-21-02				
EXAMINER:		itial citation considere		citation if not in conf	formance and not con	sidered. Include cop	y of this form			

FORM PTO-1449 (Modified)

٤,

APR 0 9 2001 Department of Commerce attent and Trademark Office

Attorney Docket No.: STONYB-04970

Serial No.: 09/782,378

INFORMATION DISCLOSURE STATES BY APPLICANT
(Use Several States and States are)

Applicant: Patrick Hearing et al.

1636

7 CFR § 1.9	8(b))		Filing Date: 2/12/01	Group Art Unit: 1636						
		OTHER DOCUMENTS (Including Author, Title, D	ate, Relevant Pages, Place of Publication)							
 	27	Berns et al. (1995) "Adenovirus and Adeno-Associated Virus as Vectors for Gene Therapy," Ann. NY Acad. Sci. 772:95-104								
1	28	Muzyczka (1992) "Use of Adeno-Associated Virus as a General Transduction Vector for Mammalian Cells," Curr. Top. Microbiol. Immunol. 158:97-129								
	29	Rolling and Samulski (1995) Mol. Biotechnol. 3:9-15								
	30	Bett et al. (1993) "Packaging Capacity and Stability of Human Adenovirus Type 5 Vectors," J. Virol. 67:5911-21								
	31	Parks and Graham (1997) "A Helper-Dependent System for Adenovirus Vector Production Helps Define a Lower Limit for Efficient DNA Packaging," J. Virol. 71:3293-8								
	32	Akli et al. (1993) "Transfer of a foreign gene into the brain using adenovirus vectors," Nature Genetics 3:224								
	33	Stratford-Perricaudet et al. (1990) "Evaluation of the Transfer and Expression in Mice of an Enzyme-Encoding Gene Using a Human Adenovirus Vector," Human Gene Ther. 1:241								
	34	Levrero et al. (1991) "Defective and nondefective adenovirus vectors for expressing foreign genes in vitro and in vivo," Gene 101:195								
	35	Le Gal la Salle et al. (1993) "An Adenovirus Vector for Gene Transfer into Neurons and Glia in the Brain," Science 259:988								
	36	Roemer and Friedmann (1992) "Concepts and strategies for human gene therapy," Eur. J. Biochem. 208:211								
	37	Dobson et al. (1990) "A Latent, Nonpathogenic HSV-1-Derived Vector Stably Expresses β-Galactosidase in Mouse Neurons," Neuron 5:353								
	38	Chiocca et al. (1990) "Transfer and Expression of the lacZ Gene in Rat Brain Neurons Mediated by Herpes Simplex Virus Mutants," New Biol. 2:739								
	39	Miyanohara et al. (1992) "Direct Gene Transfer to the Liver with Herpes Simplex Virus Type 1 Vectors," Transient Production of Physiologically Relevant Levels of Circulating Factor IX," New Biol. 4:238								
	40	Xiao et al. (1997) "A Novel 165-Base-Pair Terminal Repeat Sequence Is the Sole cis Requirement for the Adeno-Associated Virus Life Cycle," J. Virol. 71:941-948								
	41	Ryan et al. (1996) "Sequence Requirements for Binding of Rep68 to the Adeno-Associated Virus Terminal Repeats," J. Virol. 70:1542-1553								
	42	Imler et al. (1996) "Novel complementation cell lines derived from human lung carcinoma A549 cells support the growth of E-1 deleted adenovirus vectors," Gene Ther. 3:75-84								
	43	Fallaux et al. (1998) "New Helper Cells and Matched Early Region 1-Deleted Adenovirus Vectors Prevent Generation of Replication-Competent Adenoviruses," Human Gene Ther. 9:1909-1917								
	44	Fallaux et al. (1996) "Characterization of 911: A New Helper Cell Line for the Titration and Propagation of Early Region 1-Deleted Adenoviral Vectors," Human Gene Ther. 7:215-222								
	45	Weinberg et al. (1983) "A cell line that supports the growth of a defective early region 4 deletion mutant of human adenovirus type 2," Proc. Natl. Acad. Sci. USA 80:5383-5386								
	46	Brough et al. (1996) "A Gene Transfer Vector-Cell Line System for Complete Functional Complementation of Adenovirus Early Regions E and E4," J. Virol. 70:6497-501								
	47	Hearing et al. (1987) "Identification of a Repeated Sequence Element Required for Efficient Encapsidation of the Adenovirus Type 5 Chromosome," J. Virol. 61:2555-8								
	48	Zolotukhin et al. (1996) "A 'Humanized' Green Fluorescent Protein cDNA Adapted for High-Level Expression in Mammalian Cells," J. Virol. 70:4646-54								
	49	Stow (1981) "Cloning of a DNA Fragment from the Left-Hand Terminus of the Adenovirus Type 2 Genome and Its Use in Site-Directed Mutagenesis," J. Virol. 37:171-180								
	50	Graham et al. (1977) "Characteristics of a Human Cell Line Transformed by DNA from Human Adenovirus Type 5," J. Gen. Virol. 36:59-74								
14	51	Thimmappaya et al. (1982) "Adenovirus VAI RNA Is Required for Efficient Translation of Viral mRNAs at Late Times after Infection," Cell, Dec. 31 (3 Pt 2): 543-551								
DAJ	52	Tollefson et al. (1996) "The Adenovirus Death Protein (E3-11 Release of Adenovirus from Infected Cells," J. Virol. 70(4):22	.6K) Is Required at Very Late Stages of Ir	fection for Efficient Cell Lysis a						
aminer:	A	rerald & helf f.	Date Considered: 10-21-02							

Attorney Docket No.: STONYB-FORM PTO-1449 U.S. Department of Commerce Serial No.: 09/2 04970 (Modified) Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT Applicant: Patrick Hearing et al. (Use Several Sheets If Necessary) Filing Date: 2/12/01 Group Art Un (37 CFR § 1.98(b)) OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) Steinwaerder et al. (1999) "Generation of Adenovirus Vectors Devoid of All Viral Genes by Recombination between Inverted Repeats," J. 53 442 Virol. 73:9303-13 Clark et al. (1996) "A stable cell line carrying adenovirus-inducible rep and cap genes allows for infectivity titration of adeno-associated 54 virus vectors," Gene Ther. 3:1124-32 Hirt (1967) "Selective Extraction of Polyoma DNA from Infected Mouse Cell Cultures," J. Mol. Biol. 26:365-9 55 Nevins (1981) "Mechanism of Activation of Early Viral Transcription by the Adenovirus E1A Gene Product," Cell 26:213-20 56 Sandalon et al. (1997) "In Vitro Assembly of SV40 Virions and Pseudovirions: Vector Development for Gene Therapy," Hum. Gene Ther. 57 8:843-9 Gnatenko et al. (1999) "An Adenovirus/Adeno-associated Hybrid Virus Generates a Mini-Adenovirus Devoid of all Viral Genes," Blood 58 (supplement) 94:181a, Abstract No. 788 Molin et al. (1998) "Two Novel Adenovirus Vector Systems Permitting Regulated Protein Expression in Gene Transfer Experiments," J. 59 Recchia et al. (1999) "Site-specific integration mediated by a hybrid adenovirus/adeno-associated virus vector," Proc. Natl. Acad. Sci. USA

Examiner:

1000

Date Considered:

Sandalon et al. (2000) "AAV Rep Protein Enhances the Generation of a Recombinant Mini-Adenovirus Utilizing an Ad/AAV Hybrid Virus,"

10-21-02

EXAMINER:

96:2615-2620

J. Virol. 74:1038149

60

61

Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.